

**Listing of the Claims:**

The following is a complete listing of all the claims in the application, with an indication of the status of each:

1. (Previously presented) A composition comprising,

a structured fluid selected from the group consisting of a reversed cubic liquid crystalline phase and a reversed hexagonal liquid crystalline phase, and a combination thereof, comprising

a polar solvent,

a lipid or a surfactant, and

an essential oil or a dissolution/solubilization agent or both an essential oil and a dissolution/solubilization agent, said dissolution/solubilization agent being selected from the group consisting of

a. gentisic acid, benzoic acid, salicylic acid, N-alkylated amino acids, or a salt thereof;

b. a fat-soluble vitamin or a salt thereof;

c. amphiphilic derivatives of a water-soluble vitamin or a salt thereof;

d. 8-hydroxyquinoline; and

e. a low water-solubility amino acid or a salt thereof; and

a compound present in an effective amount in said structured fluid, wherein said compound is otherwise less than 5% by weight soluble in soybean oil.

2. (Canceled)

3. (Original) A composition as recited in claim 1, wherein said dissolution/solubilization agent has

at least one aromatic group or

at least one carbon-carbon double bond or

at least one polar group

in its molecular structure.

4. (Original) A composition as recited in claim 1, wherein said dissolution/solubilization agent has a polar group selected from the group consisting of: aldehyde, ketone, carboxylic ester, carboxylic acid, isocyanate, amide, acyl cyanoguanidine, acyl guanylurea, acyl biuret, N,N-dimethylamide, nitrosoalkane, nitroalkane, nitrate ester, nitrite ester, nitron, nitrosamine, pyridine N-oxide, nitrile, isonitrile, amine borane, amine haloborane, sulfone, phosphine sulfide, arsine sulfide, sulfonamide, sulfonamide methylimine, alcohol (monofunctional), ester (monofunctional), secondary amine, tertiary amine, mercaptan, thioether, primary phosphine, secondary phosphine, tertiary phosphine, carboxylate, sulfate, sulfamate, sulfonate, thiosulfate, sulfonate, phosphate, phosphonate, phosphinate, nitroamide, tris(alkylsulfonyl)methide, xanthate, ammonium, pyridinium, phosphonium, sulfonium, sulfoxonium, ammonio acetate, phosphoniopropane sulfonate, pyridinioethyl sulfate, amine oxide, phosphoryl, phosphine oxide, arsine oxide, sulfoxide, sulfoximine, sulfone diimine, and ammonio amidate.
5. (Original) A composition as recited in claim 1, wherein said dissolution/solubilization agent has a molecular weight from about 50 to about 500 Dalton.
6. (Original) A composition as recited in claim 1, wherein said dissolution/solubilization agent has a molecular weight from about 100 to about 200 Dalton.
7. (Original) A composition as recited in claim 1, wherein said dissolution/solubilization agent has an oil-water partition coefficient greater than about 10.
8. (Original) A composition as recited in claim 1, wherein said dissolution/solubilization agent has an oil-water partition coefficient greater than about 100.
9. (Original) A composition as recited in claim I. wherein said dissolution/solubilization agent has an oil-water partition coefficient greater than about 1000.
10. (Original) A composition as recited in claim 1, wherein said pharmaceutical active is difficultly soluble in water.

11. (Original) A composition as recited in claim 1, wherein said compound is a pharmaceutical active.

12. (Original) A composition as recited in claim 11, wherein said pharmaceutical active has a solubility in water such that a single therapeutic dose of said compound requires more than 100 milliliters of water to solubilize it.

13. (Original) A composition as recited in claim 11, wherein said pharmaceutical active has a solubility in octanol such that a single therapeutic dose of said compound requires more than 10 milliliters of octanol to solubilize it.

14. (Original) A composition as recited in claim 1, wherein said dissolution/solubilization agent comprises an essential oil or a component thereof.

15. (Original) A composition as recited in claim 1, wherein said essential oil is selected from allspice berry, amber essence, anise seed, arnica, balsam of peru, basil, bay leaf, bergamot, Bois de rose (rosewood), cajeput, calendula (marigold pot), white camphor, caraway seed, cardamon, carrot seed, cedarwood, celery, german or hungarian chamomile, roman or english chamomile, cinnamon, citronella, clary sage, clovebud, coriander, cumin, cypress, eucalyptus, fennel, Siberian fir needle, frankincense (olibanum oil), garlic, rose geranium, ginger, grapefruit, hyssop, jasmine absolute, jojoba, juniper berry, lavender, lemon, lemongrass, lime, sweet marjoram, mugwort, mullein flower, myrrh gum, bigarade neroli, nutmeg, bitter orange, sweet orange, oregano, patchouly, pennyroyal, black pepper, peppermint, petitegrain, pine needle, poke root, rose absolute, rosehip seed, rosemary, dalmation sage, santalwood oil, sassafras, spearmint, spikenard, spruce (hemlock), tangerine, tea tree, thuja (cedar leaf), thyme, vanilla extract, vetivert, wintergreen, witch hazel (hamamelia) extract, or ylang ylang (cananga) extract.

16. (Original) A composition as recited in claim 1, wherein said essential oil is selected from 2,6-dimethyl-2,4,6-octatriene; 4-propenylanisole; benzyl-3-phenylpropenoic acid; 1,7,7-trimethylbicyclo[2.2.1]heptan-2-ol; 2,2-dimethyl-3-methylenebicyclo[2.2.1]heptane; 1,7,7-trimethylbicyclo[2.2.1]heptane; trans-8-methyl-n-vanillyl-6-nonenamide; 2,2,5-trimethylbicyclo[4.1.0]hept-5-ene; 5-isopropyl-2-methylphenol; p-mentha-6,8-dien-2-ol; p-

mentha-6,8-dien-2-one; beta-caryophyllene; 3-phenylpropenaldehyde; mixed geranial and neral; 3,7-dimethyl-6-octenal; 3,7-dimethyl-6-octen-1-ol; 4-allylanisole; ethyl 3-phenylpropenoic acid; 3-ethoxy-4-hydroxybenzaldehyde; 1,8-cineole; 4-allyl-2-methoxyphenol; 3,7,11-trimethyl-2,6,10-dodecatrien-1-ol; 1,3,3-trimethylbicyclo[2.2.1]heptan-2-ol; 1,3,3-trimethylbicyclo[2.2.1]heptan-2-one; trans-3,7-dimethyl-2,6-octadien-1-ol; trans-3,7-dimethyl-2,6-octadien-1-yl acetate; 3-methyl-2-(2-pentenyl)-2-cyclopenten-1-one; p-mentha-1,8-diene; 3,7-dimethyl-1,6-octadien-3-ol; 3,7-dimethyl-1,6-octadien-3-yl acetate; p-menthan-3-ol; p-menthan-3-one; methyl 2-aminobenzoate; methyl 3-oxo-2-(2-pentenyl)-cyclopentane acetate; methyl 2-hydroxybenzoate; 7-methyl-3-methylene-1,6-octadiene; cis-3,7-dimethyl-2,6-octadien-1-ol; 2,6,6-trimethylbicyclo[3.1.1]hept-2-ene; 6,6-dimethyl-2-methylenebicyclo[3.1.1]heptane; p-menth-4(8)-en-3-one; p-menth-1-en-4-ol; p-mentha-1,3-diene; p-menth-1-en-8-ol; 2-isopropyl-5-methylphenol.

17. (Original) A composition as recited in claim 1, wherein said dissolution/solubilization agent is selected from gentisic acid ethanolamine, tryptophan, ascorbyl palmitate, 8-hydroxyquinoline, and alpha-tocopherol.

18. (Original) A composition as recited in claim 1, wherein said essential oil is selected from ylang ylang, clovebud, cedarwood, spearmint, ginger, patchouli, santalwood, carrot seed, fir needle, peppermint and mixtures of peppermint and thyme.

19. (Original) A composition as recited in claim 1, wherein said essential oil is selected from peppermint; spearmint; sweet basil; thyme; ginger; rosemary; fennel; sage; jasmine; and clove.

20. (Withdrawn) A composition as recited in claim 1, wherein said essential oil is selected from marjoram; palmarosa; bois de rose, oil of bay and oil of vanilla.

21. (Withdrawn) A composition as recited in claim 1, wherein said essential oil is selected from oil of bay, peppermint, thyme, sweet basil, palmarosa.

22. (Withdrawn) A composition as recited in claim 1, wherein said dissolution/solubilization agent comprises oil soluble vitamins.

23. (Withdrawn) A composition as recited in claim 1, wherein said dissolution/solubilization agent comprises a tocopherol.

24. (Withdrawn) A composition as recited in claim 1, wherein said dissolution/solubilization agent comprises alpha tocopherol.

25. (Withdrawn) A composition as recited in claim 1, wherein said dissolution/solubilization agent comprises low water solubility amino acids.

26. (Withdrawn) A composition as recited in claim 1, wherein said dissolution/solubilization agent comprises tryptophan.

27. (Previously presented) A composition comprising,

a structured fluid selected from the group consisting of a reversed cubic liquid crystalline phase and a reversed hexagonal liquid crystalline phase, and a combination thereof, comprising

a polar solvent,

a lipid or a surfactant, and

an essential oil or a dissolution/solubilization agent or both an essential oil and a dissolution/solubilization agent, said dissolution/solubilization agent having

a. at least one polar group in its molecular structure,

b. a molecular weight from about 50 to about 500 Dalton and

c. an octanol-water partition coefficient greater than about 10; and

a compound present in an effective amount in said structured fluid, wherein said compound is otherwise less than 5% by weight soluble in soybean oil.

28. (Canceled)

29. (Original) A composition as recited in claim 27, wherein said dissolution/solubilization agent has

at least one aromatic group or

at least one carbon-carbon double bond or

at least one polar group  
in its molecular structure.

30. (Original) A composition as recited in claim 27, wherein said dissolution/solubilization agent has a polar group selected from the group consisting of: aldehyde, ketone, carboxylic ester, carboxylic acid, isocyanate, amide, acyl cyanoguanidine, acyl guanylurea, acyl biuret, N,N-dimethylamide, nitrosoalkane, nitroalkane, nitrate ester, nitrite ester, nitron, nitrosamine, pyridine N-oxide, nitrile, isonitrile, amine borane, amine haloborane, sulfone, phosphene sulfide, arsine sulfide, sulfonamide, sulfonamide methylimine, alcohol (monofunctional), ester (monofunctional), secondary amine, tertiary amine, mercaptan, thioether, primary phosphine, secondary phosphine, tertiary phosphine, carboxylate, sulfate, sulfamate, sulfonate, thiosulfate, sulfonate, phosphate, phosphonate, phosphinate, nitroamide, tris(alkylsulfonyl)methide, xanthate, ammonium, pyridinium, phosphonium, sulfonium, sulfoxonium, ammonio acetate, phosphoniopropane sulfonate, pyridinioethyl sulfate, amine oxide, phosphoryl, phosphine oxide, arsine oxide, sulfoxide, sulfoximine, sulfone diimine, and ammonio amidate.

31. (Original) A composition as recited in claim 27, wherein said dissolution/solubilization agent has a molecular weight from about 100 to about 200 Dalton.

32. (Original) A composition as recited in claim 27, wherein said dissolution/solubilization agent has an oil-water partition coefficient greater than about 10.

33. (Original) A composition as recited in claim 27, wherein said dissolution/solubilization agent has an oil-water partition coefficient greater than about 100.

34. (Original) A composition as recited in claim 27, wherein said dissolution/solubilization agent has an oil-water partition coefficient greater than about 1000.

35. (Original) A composition as recited in claim 27, wherein said compound is a pharmaceutical active.

36. (Original) A composition as recited in claim 35, wherein said pharmaceutical active is difficultly soluble in water.

37. (Original) A composition as recited in claim 35, wherein said pharmaceutical active has a solubility in water such that a single therapeutic dose of said compound requires more than 100 milliliters of water to solubilize it.

38. (Original) A composition as recited in claim 35, wherein said pharmaceutical active has a solubility in octanol such that a single therapeutic dose of said compound requires more than 10 milliliters of octanol to solubilize it.

39. (Original) A composition as recited in claim 27, wherein said dissolution/solubilization agent comprises an essential oil or a component thereof.

40. (Original) A composition as recited in claim 27, wherein said essential oil is selected from allspice berry, amber essence, anise seed, arnica, balsam of peru, basil, hay leaf, bergamot, Bois de rose (rosewood), cajeput, calendula (marigold pot), white camphor, caraway seed, cardamon, carrot seed, cedarwood, celery, german or hungarian chamomile, roman or english chamomile, cinnamon, citronella, clary sage, clovebud, coriander, cumin, cypress, eucalyptus, fennel, siberian fir needle, frankincense (olibanum oil), garlic, rose geranium, ginger, grapefruit, hyssop, jasmine absolute, jojoba, juniper berry, lavender, lemon, lemongrass, lime, sweet marjoram, mugwort, mullein flower, myrrh gum, bigarade neroli, nutmeg, bitter orange, sweet orange, oregano, patchouly, pennyroyal, black pepper, peppermint, petitegrain, pine needle, poke root, rose absolute, rosehip seed, rosemary, dalmation sage, santalwood oil, sassafras, spearmint, spikenard, spruce (hemlock), tangerinem, tea tree, thuja (cedar leaf), thyme, vanilla extract, vetivert, wintergreen, witch hazel (hamamelia) extract, or ylang ylang (cananga) extract.

41. (Original) A composition as recited in claim 27, wherein said essential oil is selected from 2,6-dimethyl-2,4,6-octatriene; 4-propenylanisole; benzyl-3-phenylpropenoic acid; 1,7,7-trimethylbicyclo[2.2.1]heptan-2-ol; 2,2-dimethyl-3-methylenebicyclo[2.2.1]heptane; 1,7,7-trimethylbicyclo[2.2.1] heptane; trans-8-methyl-n-vanillyl-6-nonenamide; 2,2,5-trimethylbicyclo[4.1.0]hept-5-ene; 5-isopropyl-2-methylphenol; p-mentha-6,8-dien-2-ol; p-

mentha-6,8-dien-2-one; beta-caryophyllene; 3-phenylpropenaldehyde; mixed geranial and neral; 3,7-dimethyl-6-octenal; 3,7-dimethyl-6-octen-1-ol; 4-allylanisole; ethyl 3-phenylpropenoic acid; 3-ethoxy-4-hydroxybenzaldehyde; 1,8-cineole; 4-allyl-2-methoxyphenol; 3,7,11-trimethyl-2,6,10-dodecatrien-1-ol; 1,3,3-trimethylbicyclo[2.2.1]heptan-2-ol; 1,3,3-trimethylbicyclo[2.2.1]heptan-2-one; trans-3,7-dimethyl-2,6-octadien-1-ol; trans-3,7-dimethyl-2,6-octadien-1-yl acetate; 3-methyl-2-(2-pentenyl)-2-cyclopenten-1-one; p-mentha-1,8-diene; 3,7-dimethyl-1,6-octadien-3-ol; 3,7-dimethyl-1,6-octadien-3-yl acetate; p-menthan-3-ol; p-menthan-3-one; methyl 2-aminobenzoate; methyl 3-oxo-2-(2-pentenyl)-cyclopentane acetate; methyl 2-hydroxybenzoate; 7-methyl-3-methylene-1,6-octadiene; cis-3,7-dimethyl-2,6-octadien-1-ol; 2,6,6-trimethylbicyclo[3.1.1]hept-2-ene; 6,6-dimethyl-2-methylenebicyclo[3.1.1]heptane; p-menth-4(8)-en-3-one; p-menth-1-en-4-ol; p-mentha-1,3-diene; p-menth-1-en-8-ol; 2-isopropyl-5-methylphenol.

42. (Original) A composition as recited in claim 27, wherein said dissolution/solubilization agent is selected from gentisic acid ethanolamine, tryptophan, ascorbyl palmitate, 8-hydroxyquinoline, and alpha-tocopherol.

43. (Original) A composition as recited in claim 27, wherein said essential oil is selected from ylang ylang, clovebud, cedarwood, spearmint, ginger, patchouli, santalwood, carrot seed, fir needle, peppermint and mixtures of peppermint and thyme.

44. (Previously presented) A composition as recited in claim 27, wherein said essential oil is selected from peppermint, spearmint, sweet basil, thyme, ginger, rosemary, fennel, sage, jasmine, and clove.

45. (Withdrawn) A composition as recited in claim 27, wherein said essential oil is selected from marjoram; palmarosa; bois de rose, oil of bay and oil of vanilla.

46. (Withdrawn) A composition as recited in claim 27, wherein said essential oil is selected from oil of bay, peppermint, thyme, sweet basil, palmarosa.



47. (Withdrawn) A composition as recited in claim 27, wherein said dissolution/solubilization agent comprises oil soluble vitamins.

48. (Withdrawn) A composition as recited in claim 27, wherein said dissolution/solubilization agent comprises a tocopherol.

49. (Withdrawn) A composition as recited in claim 27, wherein said dissolution/solubilization agent comprises alpha tocopherol.

50. (Withdrawn) A composition as recited in claim 27, wherein said dissolution/solubilization agent comprises low water solubility amino acids.

51. (Withdrawn) A composition as recited in claim 27, wherein said dissolution/solubilization agent comprises tryptophan.

52. (Previously presented) An internally administerable solvent system comprising a structured fluid selected from a reversed cubic liquid crystalline phase and a reversed hexagonal liquid crystalline phase, and a combination thereof, and in which an effective amount of a compound may be incorporated wherein said compound is otherwise less than 5% by weight soluble in soybean oil, said solvent system formed from

a. a polar solvent,

b. a lipid or a surfactant, and

c. an essential oil or a dissolution/solubilization agent or both an essential oil and a dissolution/solubilization agent, said solubilization agent being selected from

d. gentisic acid, benzoic acid, salicylic acid, N-alkylated amino acids, or a salt thereof;

e. a fat-soluble vitamin or a salt thereof;

f. amphiphilic derivatives of a water-soluble vitamin or a salt thereof;

g. 8-hydroxyquinoline; and

g. a low water-solubility amino acid or a salt thereof.

53. (Previously presented) An internally administerable solvent system comprising a structured fluid selected from a reversed cubic liquid crystalline phase and a reversed hexagonal liquid crystalline phase, and a combination thereof, and in which an effective amount of a compound may be incorporated wherein said compound is otherwise less than 5% by weight soluble in soybean oil, said solvent system formed from

- a.. a polar solvent,
- b. a lipid or a surfactant, and
- c. an essential oil or a dissolution/solubilization agent or both an essential oil and a dissolution/solubilization agent, said solubilization agent having
  - i. at least one polar group in its molecular structure,
  - ii. a molecular weight from about 50 to about 500 Dalton and
  - iii. an octanol-water partition coefficient greater than about 10.

54-55. (Canceled)

56. (Original) A composition as recited in claim 27, wherein said dissolution/solubilization agent has a molecular weight from about 50 to about 500 Dalton.

57. (Canceled)

58. (Previously presented) The composition of claim 1, wherein said compound present in said structured fluid is dissolved in said structured fluid.

59. (Previously presented) The composition of claim 1, wherein said essential oil or said dissolution/solubilization agent is an essential oil.

60. (Previously presented) The composition of claim 1, wherein said essential oil or said dissolution/solubilization agent is a dissolution/solubilization agent.

61-64. (Canceled)

65. (New) A composition comprising,

a structured fluid selected from the group consisting of a reversed cubic liquid crystalline phase and a reversed hexagonal liquid crystalline phase, and a combination thereof, comprising

a polar solvent,

a lipid or a surfactant, and

an essential oil or a dissolution/solubilization agent or both an essential oil and a dissolution/solubilization agent, said dissolution/solubilization agent being selected from the group consisting of

a. gentisic acid, benzoic acid, salicylic acid, N-alkylated amino acids, or a salt thereof;

b. a fat-soluble vitamin or a salt thereof;

c. amphiphilic derivatives of a water-soluble vitamin or a salt thereof;

d. 8-hydroxyquinoline; and

e. a low water-solubility amino acid or a salt thereof; and

a compound present in an effective amount in said structured fluid, wherein said compound is a water insoluble compound containing at least 3 polar groups.